EMOTION/EMPIRE

1440 TEU ICE CLASSED CONTAINER VESSELS



Container vessels with excellent stowage flexibility and a high service speed. Builder: Peene Werft. Type PW 1400. Owner: JR Shipping BV.

MAIN PRINCIPALS

L.o.a.	170.15 m	Deadweight	± 19.800 tdw
L.p.p.	160.70 m	Tonnage	15.900 gt
Beam	25.00 m		6254 nt
Depth	14.20 m	Service speed	19,8 kts
Draught	9.50 m	-	

CLASS REGULATIONS

Germanischer Lloyd № 100 A5 E3 IW NAV-OC. Containership Solas II-2, Reg. 19, № MC E3 AUT. Dutch Shipping Inspectorate (NSI), Dutch flag.

MAIN PROPULSION EQUIPMENT

MAN B&W S850 MC-C, 12.640 kW at 127 rpm. Low NOx certificate.

CONSUMPTION OF HFO 380

Under normal conditions: \pm 55 t/24 h at 19,8 kts service speed. Harbour consumption auxiliary set plus boiler: \pm 3/5 t/24 h.

TANK CAPACITIES (APPROX.)

Fuel oil	2.100 t	Fresh water	178 t
Gas oil	290 t	Waterballast	7500 t

ADDITIONAL EQUIPMENT

Auxiliary diesel sets	3 x 1120 kW
Emergency diesel set	1 x 596 kW
Bowthruster	900 kW, CPP
Rudder	Flap type
Propellor	Fixed

CONTAINER CAPACITIES

1408 TEU and 16 FEU reflect a theoretical capacity of 1440 TEU. 4 Holds, 8 hatches.

Fitted with 40' fixed cell guides in holds.

Breadths of 2,438 m in hold, 2,438 m and 2,500 m on deck. Suitable for 20' and 40' in holds and 20', $24^{1}/_{2}$, 30', 40' and 45' containers on deck.

REEFERS

316 pcs 226 on deck 90 in holds Incl. reefer monitoring system.

CONTAINER HEIGHTS

Holds 5 x 8'6" or 2 x 8'6" and 3 x 9'6"

STABILITY CONDITION

± 1.040 TEU à 14 t

CONTAINER POINT LOADS

Stack weight in front of deckhouse	20'	60 t
	40'	120 t
Stack weight on hatches	20'/241/2'	60 t
	30'/40'/45'	100 t
Stack weight in holds	20'	100 t
-	40'	150 t

HATCHES

All cargo holds are covered by 2 pontoon hatches each, divided longitudinally. All hatches can be opened non-sequentially.

All details are believed to be correct and subject to reconfirmation.

CONTAINER POSITIONS

EMOTION/EMPIRE

For reasons of clarity some container rest postions are not shown. Reefer points are situated on deck as well as in the hold. High cubes and wide bodies can be stowed in every position on deck as well as in the hold. Suitable for transport of 20, 24.5, 30, 40 and 49 ft containers.



20 FT CONTAINERS


		_		
ON DECK		IN HOLDS		
TIERS		TIERS		
92	64	10	120	
90	140	80	116	
88	172	06	114	
86	172	04	102	
84	172	02	80	
82	172			
80	16			

TOTAL 908 TOTAL 532

TOTAL IN SHIP 1440



40 FT CONTAINERS		REST POSITIONS 20 FT CONTAINERS					
ON DI	E <i>CK</i>	IN HO	LDS	ON DEC	K	IN HOLL	DS .
TIERS		TIERS		TIERS		TIERS	
92	32	10	60	92	-	10	-
90	70	08	56	90	-	08	2
88	84	06	56	88	4	06	2
86	84	04	48	86	4	04	6
84	84	02	36	84	4	02	8
82	84			82	4		
80	8			80	-		
TOTAL	116	TOTAL		TOTAL	16	TOTAL	18
256	. 440	IUIAI	-	IUIAL	10	IUIAL	10
	. IN SHIP		702	TOTAL I	N SHIP		34



40 FT REEFERS

ON DECK		IN HOLDS		
TIERS		TIERS		
92	-	10	-	
90	10	80	22	
88	10	06	24	
86	58	04	24	
84	64	02	20	
82	76			
80	8			

TOTAL 226 TOTAL

TOTAL IN SHIP 316



45 FT CONTAINERS REST POSITIONS 20 FT CONTAINERS IN HOLDS **ON DECK ON DECK TIERS TIERS TIERS TOTAL 250 TOTAL 340 TOTAL 532 TOTAL IN SHIP TOTAL IN SHIP**

ABOUT THE SHIP OWNER





JR Shipping BV - located in Harlingen, The Netherlands - is an experienced and renowned ship owning company, leading in the market of container feeder vessels.

In addition, the group also operates multi purpose vessels and service vessels for the offshore wind industry.

The ability to direct all important success factors such as project development. Ship finance, operational ship management and


charter brokerage, is the backbone of JR Shipping's competitive strength.

The decisive and professional ship management organization - JR Ship Management BV - as well as the dedicated staff on board of the vessels, stimulate the excellent performance of the JR Shipping fleet.

More information about the company is available on: **www.jrshipping.nl**







Oever 7, 3161 GR Rhoon P.O. Box 891, 3160 AB Rhoon, The Netherlands **T** +31(0)10 - 440 3670, **F** +31(0)10 - 201 7543 chartering@confeeder.com, www.confeeder.com