CONFEEDER SHIPPING & CHARTERING ENFORCER / ENCOUNTER / ENDEAVOR / ENERGIZER/ ENSEMBLE / ENDURANCE



Container vessels with excellent stowage flexibility and a high service speed. Endeavor, Endurance and Ensemble with iceclass E3. Type VH 750. Builder: Volharding Shipyard. Owner: JR Shipping BV.

appr. 9450 tdw

7680 GT

18 knots

MAIN PRINCIPALS

L.o.a. 134.65 m 125.60 m L.p.p. Beam Depth Draugth

Deadweight Tonnage Service speed

CLASS REGULATIONS

21.50 m

8.80 m

7.00 m

Germanischer Lloyd ♥ Containership, 100 A5 Solas II-2, reg. 19, MC-AUT Dutch Shipping Inspectorate (NSI), Dutch flag

MAIN PROPULSION EQUIPMENT

MaK Diesel 8M43, 7200 kW MCR at 500 rpm Low NOx certificate

CONSUMPTION

Including approx. 250 kW consumption for shaft generator and under normal conditions: appr. 33 t/24 h at 18.0 kn service speed Harbour consumption auxiliary set plus boiler will amount appr.: 1,5 t/24 h (MDO)

TANK CAPACITIES

Water ballast	4908 m ³	MDO	112 m ³
HFO 380	743 m ³	Drinking water	81 m ³

ADDITIONAL EQUIPMENT

Shaft generator Auxiliary diesel sets Bowthruster Propellor Rudder

1000 kW 2 x 350 kW 750 kW, CPP CPP Flap type

CONTAINER CAPACITIES

Capacity	750 TEU, [356 FEU + 22 TEU]
Container Stability	appr. 511, 14 tons homogeneous
	weight
	Container stability according to IMO
Reeferpoints	120 pcs. on deck
	70 pcs. in hold
	Reefer monitoring
Block Stowage	all bays, cell-guides in hold
Oversized units	high cubes / wide bodies in hold/on
deck	
	451, 30 ft containers (107 in hold)
	313, 45 ft containers (73 in hold)
	32, 49 ft containers (on deck)
Dangerous goods	Solas 19, chapter II

STACK WEIGHTS (APPROX)

STACK WEIGHT		-rnon.j	
Hold 1 (4 layers)	20 ft:	77,5 ton	
	30 ft:	90 ton	
	40 ft:	120 ton	
	45 ft:	120 ton	
Hold 2 & 3 (3 layers)	20 ft:	90 ton	
	30 ft:	70 ton	
	40 ft:	105 ton	
	45 ft:	105 ton	
In front deckhouse	20 ft:	85 ton	
	30 ft:	85 ton	
	40 ft:	90 ton	
	45 ft:	90 ton	
Hatches	20 ft:	70 ton	
	30 ft:	80 ton	
	40 ft:	90 ton	Al
	45 ft:	90 ton	to
	49 ft:	90 ton	to

ll details are believed be correct and subject to reconfirmation.

CONTAINER POSITIONS

ENFORCER / ENCOUNTER / ENDEAVOR / ENERGIZER/ ENSEMBLE / ENDURANCE

For reasons of clarity some container rest postions are not shown. Reefer points are situated on deck and in the hold. High cubes can be stowed in every position on deck as well as in the hold.


Wide bodies in the hold have maximum permissible size of 2500mm. On deck no restrictions.

Suitable for transport of 24.5 ft, 45 ft and 49 ft containers.



20 FT CONTAINERS

ON DEC	Ж	IN HOL	DS
TIERS		TIERS	
92	8	08	24
90	75	06	76
88	115	04	70
86	115	02	55
84	115		
82	85		
80	12		
TOTAL	525	TOTAL	225
TOTAL	N SHIP		750



30 FT (CONTAINERS	;		REST POSITIONS 20 FT CONTAINE				
ON DEC	CK	IN HOL	DS	ON DECI	K	IN HOL	.DS	
TIERS		TIERS		TIERS		TIERS		
92	-	08	12	92	-	08	-	
90	48	06	36	90	-	06	4	
88	78	04	34	88	-	04	2	
86	78	02	25	86	-	02	5	
84	78			84	-			
82	56			82	-			
80	6			80	-			
TOTAL	344	TOTAL	107	TOTAL	-	TOTAL	11	
TOTAL	IN SHIP		451	TOTAL IN	N SHI	Р	11	

RS

		4	10	FT	-		TIERS 92 90
8 8 8 8 8 8 6	8 8 8 8 8 8	8 8 8 8 8 8	1 8 1 8 1 8 1 8 1 8 1 8	8 1 8 1 8 1 8 1 8 1	8 8 8 7	6 6 5	88 86 84 82 80 08 06
	7 7 1	7 7 7	7 7 7	7 7 7	5 5 3	1 1	04 02

40 FT CONTAINERS

REST POSITIO	INS 20 FT CONTAINERS	5
ON DECK	IN HOLDS	

UN DEC	;K	IN HU	LDS	UN DEC	K	IN HUL	US
TIERS		TIERS		TIERS		TIERS	
92	-	08	12	92	-	08	-
90	33	06	36	90	1	06	4
88	56	04	34	88	3	04	2
86	56	02	24	86	3	02	5
84	56			84	3		
82	42			82	1		
80	6			80	-		
TOTAL	249	TOTAL	106	TOTAL	11	TOTAL	11
TOTAL	IN SHI	P	356	TOTAL I	N SHI	P	22



45 FT (CONTA	NERS		REST POSITIONS 20 FT CONTAINERS				
ON DEC	CK	IN HO	LDS	ON DECI	K	IN HO	LDS	
TIERS		TIERS		TIERS		TIERS		
92	-	08	5	92	-	08	9	
90	32	06	26	90	-	06	12	
88	54	04	24	88	2	04	12	
86	54	02	18	86	2	02	7	
84	54			84	2			
82	40			82	-			
80	6			80	-			
TOTAL	240	TOTAL	73	TOTAL	6	TOTAL	40	
TOTAL	IN SHI	P	313	TOTAL IN	N SHI	P	46	

ABOUT THE SHIP MANAGER





JR Shipping BV - located in Harlingen, The Netherlands - is an experienced and renowned ship owning company, leading in the market of container feeder vessels.

In addition, the group also operates multi purpose vessels and service vessels for the offshore wind industry.

The ability to direct all important success factors such as project development. Ship finance, operational ship management and

charter brokerage, is the backbone of JR Shipping's competitive strength.

The decisive and professional ship management organization - JR Ship Management BV - as well as the dedicated staff on board of the vessels, stimulate the excellent performance of the JR Shipping fleet.

More information about the company is available on: www.jrshipping.nl







Oever 7, 3161 GR Rhoon P.O. Box 891, 3160 AB Rhoon, The Netherlands **T** +31(0)10 - 440 3670, **F** +31(0)10 - 201 7543 chartering@confeeder.com, www.confeeder.com



GRAPHIC DESIGN: HENK JUKKEMA BNO, HARLINGEN, PHOTOS: FLYING FOCUS